




elasa
Original design EBK.p-SOFT



1 d ₁	2 d ₂	3 Length l				d ₃	h ₁	h ₂
43	M 6	16	20	25	-	32,5	55	17,5
43	M 8	16	20	25	30	32,5	55	17,5
43	M 10	20	25	30	50	32,5	55	17,5
50	M 8	16	20	25	30	37	64	20
50	M 10	20	25	30	50	37	64	20

Specification

- Base body
Plastic
Technopolymer (Polypropylen PP)
- Softline coating
 - Elastomer (TPE) 70 Shore A
 - Chemically bonded with base body
 - FDA compliant plastic granulate
 - Temperature resistant up to 80 °C
 - Black, matte finish
- Threaded stud
Steel
Zinc plated, blue passivated
- *Plastic Characteristics* → Page 2158
- **RoHS**

On request

- Revolving ball handles

Information

The design of the ball handles GN 675 matches the product family Ergostyle®. The softline coating makes the ball handles particularly user-friendly and ergonomic.

The **soft, slip-proof** contact area improves the contact both in hot (hand perspiration) and in dry ambient conditions, in the event of oily surfaces and even high or low temperatures.

The softline ball handles are suitable for use both as operating elements and for clamping. The „hard“ plastic core guarantees the perfect anchoring engagement of the threaded stud, also under heavier loads.

see also...

- *Product Family Ergostyle®* → Page 18
- *Product Family Softline* → Page 18

How to order

GN 675-50-M10-25

1	d ₁
2	d ₂
3	Length l