



1

| l_1 | h_1 | h_2 | h_3 | h_4 | l_2 | l_3 | l_4 | $m_1 \pm 0,1$ | m_2 |
|-------|-------|-------|-------|-------|-------|-------|-------|---------------|-------|
| 90 | 29 | 16,5 | 63 | 20 | 135 | 74 | 41 | 80 | 8 |

Specification

2

- Plastic
Polyamide PA
- Glass fiber reinforced
- Temperature resistant up to 100 °C
- Colors (matte finish):
Black, RAL 9005 **SW**
Gray, RAL 7040 **GR**
White, RAL 9002 **WS**
- Pin
Stainless steel AISI 303
- Return spring
Stainless steel AISI 302
- *Strength Properties* → Page 2116
- *Plastic Characteristics* → Page 2158
- *Stainless Steel Characteristics* → Page 2166
- RoHS

Information

The folding handles GN 825.1 are used in places where the handle must not protrude.

After releasing the handle, it returns to its starting position by spring-loaded return.

see also...

- *Folding Handles GN 425.2 (in Both End Positions Retained)* → Page 172
- *Folding Handles GN 425.5 (in Both End Positions Retained)* → Page 173
- *Folding Handle with Recessed Tray GN 825.2 (Plastic, with Spring-Loaded Return)* → Page 178

How to order

GN 825.1-90-SW

1 l_1

2 Color

