

Standard		Latch type	Housing form	Activation met	hods	
GN 115 Page 896 / 898 / 899 Latches Zinc die casting, chrome-plated or black plastic coated, Latch steel		90°				<b></b>
GN 115 Page 900 / 901 / 902 Latches Stainless Steel	-0	90°				<del></del>
GN 115 Page 903 Latches Stainless Steel, Hygienic version	The same	90°		<del></del>		
GN 115.1 Page 904 Mini-Latches Zinc die casting, chrome-plated, Latch steel		90°				
GN 115.6 Page 904 Mini-Latches Stainless Steel	6	90°		<del></del>		
GN 115.3 Page 906 Latches Plastic		Per 90°				



Standard		Latch type	Housing form	Activation method	ods	
GN 115.5 Page 908 Latches Plastic, Snap-in mounting		90°				
Page 910 Latches vith cabinet U" handle Linc die casting, Latch steel	9	90°				
and the state of t		90°				
and the state of t		90° + \$\int 360°				
GN 516 Page 918 Rotary clamping atches Zinc die casting, black plastic coated, Latch steel		× 90°				



Standard		Latch type	Housing form	Activation meth	ods
Rotary clamping latches Stainless Steel	E CO	× 90°			
GN 516.1 Page 921 Rotary clamping latches Zinc die casting, black plastic coated, Adjustable latch Zinc die casting	Di'	x 90°			
GN 117 Page 922 Latches Steel		210°	B   B		
GN 119 Page 924 Latches Zinc die casting, chrome-plated, Cam latch steel		210°			
GN 119 Page 924 Latches Stainless Steel		210°			



Standard	Latch type	Housing form	Activation methods	
GN 119.3 Page 928 Latches with cabinet "U" handle Zinc die casting, black / silver plastic coated, Cam latch steel	210°			
		==/		
GN 115.8 Page 930 / 932 / 933 Hook-type latches Zinc die casting, chrome-plated or black plastic coated, Hook locking	90° (			
Steel, zinc plated				

